

MABER MBC 1000/150-M

Features & benefits

The MABER MBC 1000 three-phase goods and up to 5-passenger hoist is a highly recommended choice.

It has a large 3-entry platform, measuring 1.7m X 1.4m.

This hoist with its 1ton SWL is a tough yet compact size that offers exceptional functionality and convenience in various construction scenarios.

- Large Platform Size 1750 X 1400mm.
- Can be set up to 150m.
- 1000kg / 5 Passengers SWL.
- Lifting speed up to 24 m/min in Goods Mode.
- Lifting speed up to 12 m/min in Passenger Mode.
- Different ramp configurations available to suit sites.



Up to 5 passengers

Platform at base

Platform at the landing position



Power requirements

Dedicated 415v 32a 5 Pin Commando Socket.



Must use 4mm heavy-duty leads with long runs due to volt drop on start-up currents.

32a Three Phase C Type MCB.




	Maber MBC1000
Maximum Height	150m
Lifting Capacity - Goods Mode	1000kg
Lifting Capacity - Personnel Mode	5 persons
Lifting Speed - Goods Mode	24 m/min
Lifting Speed - Personnel Mode	12 m/min
Power Source	415v Electric
Breaker Rating	32a Three Phase C Type MCB
Power Requirements (Within 2m of the hoist base)	Dedicated 415v 32a 5 Pin Commando Socket
Start up Current (Max)	105a
Running Current (Max)	19a
Cage Dimensions (Internal)	W 1400mm - L 1750mm
Approx. Ground Space Required	3100mm x 3550mm
Approx. Minimum Access Required	Contact us
Approx. Gate Opening Dimentions	2000mm +

Technical information

Standard configuration.

Platform size.



Reversed configuration.

Platform size.

